

Material Safety Data Sheet

According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Hazardous according to criteria of Worksafe Australia

1 Identification of the substance/preparation and of the company/undertaking

· **Product details**

· **Trade name:** MSC 200/300/D-Lab3 CD-R, ready to use

· **Article number:** 5JZVE

· **Application of the substance / the preparation** Photographic colour developer solution

· **Manufacturer/Supplier:**

a&o imaging solutions GmbH
 Chemische Fabrik Vaihingen/Enz (former AGFA / AgfaPhoto)
 Steinbeisstrasse 49
 D-71665 Vaihingen/Enz
 Germany

distributed by :

Photo Direct P/L
 Suite 2, 358 Whitehorse Rd
 Nunawading Vic 3131
 Australia

Phone: + 61 3 9894 1644

Fax: + 61 3 9894 1677

· **Further information obtainable from:**

Productmanagement, Tel.: + 49 7042 913-41, Fax: + 49 7042 913-18

· **Information in case of emergency:**

Australia / New Zealand :

The Australian Centre for Occupational Health & Safety (ACOHS Pty Ltd)
 6 Burleigh Court, Nunawading, VIC 3131
 Phone : 1800 638 556 (24 hours, 7 days a week)

2 Composition/information on ingredients

· **Chemical characterization**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 584-08-7 EINECS: 209-529-3	potassium carbonate	2.75%
CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol	2.5%
	p-Phenylendiamin-Derivat (ACD 3)	1.3%
CAS: 111-46-6 EINECS: 203-872-2	2,2'-oxybisethanol	1.05%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

AUS

(Contd. on page 2)

Material Safety Data Sheet According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 1)

3 Hazards identification

· Hazard description:



Corrosive

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Causes burns.

May cause sensitisation by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First aid measures

· General information: *Immediately remove any clothing soiled by the product.*

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: *Immediately wash with water and soap and rinse thoroughly.*

· After eye contact: *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· After swallowing: *Drink plenty of water and provide fresh air. Call for a doctor immediately.*

5 Fire-fighting measures

· Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: *No special measures required.*

6 Accidental release measures

· Person-related safety precautions: *Wear protective equipment. Keep unprotected persons away.*

· Measures for environmental protection:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

AUS

(Contd. on page 3)

Material Safety Data Sheet According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 3)

· Eye protection:


Tightly sealed goggles

9 Physical and chemical properties

· General Information

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100°C (212°F)

· Flash point: Not applicable.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Vapour pressure at 20°C (68°F): 23.0 hPa (17 mm Hg)

· Density at 20°C (68°F): 1.041 g/cm³
· Solubility in / Miscibility with water: Fully miscible.

· pH-value at 20°C (68°F): 12.1

· Viscosity:
Kinematic at 20°C (68°F): 11 s (DIN 53211/4)

· Solvent content:

Organic solvents:	1.0 %
Water:	90.9 %

· Solids content: 5.1 %

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Dangerous reactions No dangerous reactions known.

· Dangerous decomposition products: No dangerous decomposition products known.

AUS

(Contd. on page 5)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 4)

11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

p-Phenylendiamin-Derivat (ACD 3)

Oral	LD50	931 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Caustic effect on skin and mucous membranes.

· **on the eye:** Strong caustic effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values.

A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

· **Product:**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

AUS

(Contd. on page 6)

Material Safety Data Sheet

According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 5)

14 Transport information

· Land transport ADR/RID (cross-border)

· ADR/RID class: -

· Maritime transport IMDG:

· IMDG Class: -

· Marine pollutant: No

· Air transport ICAO-TI and IATA-DGR:

· ICAO/IATA Class: -

15 Regulatory information

· Australian Inventory of Chemical Substances

7732-18-5	water, distilled, conductivity or of similar purity
-----------	---

584-08-7	potassium carbonate
----------	---------------------

25322-68-3	Polyethylene glycol
------------	---------------------

	p-Phenylendiamin-Derivat (ACD 3)
--	----------------------------------

111-46-6	2,2'-oxybisethanol
----------	--------------------

3710-84-7	N,N-diethylhydroxylamine
-----------	--------------------------

26099-09-2	Belclene 200
------------	--------------

1310-58-3	potassium hydroxide
-----------	---------------------

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Corrosive

· Hazard-determining components of labelling:

p-Phenylendiamin-Derivat (ACD 3)

· Risk phrases:

Causes burns.

May cause sensitisation by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Avoid release to the environment. Refer to special instructions/safety data sheets.

· National regulations:

Class	Share in %
Wasser	90.9
NK	1.1

Material Safety Data Sheet
According to 91/155 EEC

Printing date 11.05.2006

Reviewed on 12.04.2006

Trade name: MSC 200/300/D-Lab3 CD-R, ready to use

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Productmanagement department
- **Contact:** Mr. Vollhofer, a&o imaging solutions, Tel.: + 49 7042 913-43

AUS